

Test Certificate

Certificate ID: 17768 (Reissued)

Client Sample ID: CC171

Matrix: Concentrates/Extracts - CO2

Date Received: 4/24/2017

This test method was performed in accordance with the requirements of ISO/IEC 17025. These results relate only to the test article listed in this report. Reports may not be reproduced except in their entirety.

Authorization:	Signature:	11/1/1	1-1.1	Date:	
Matthew Silva, Chemical Engineer		Motor	alla		5/2/2017

CN: Cannabinoid Profile & Potency [WI-10-04]

Analyst: JFD

Test Date: 5/1/2017

The client sample was analyzed by Convergence Chromatography (CC). The collected data was compared to data collected for certified reference standards at known concentrations. Re-issued certificate generated with new data processing conditions and spectral matching.

17768-CN

			0.18				_	-	-
$\Delta 9$ -THC	THCV	CBD	CBDV	CBG	CBC	CBN	THCA	CBDA	CBGA

ID	Weight %	Conc.	
Δ9-ΤΗС	=	-	
THCV	-	2	
CBD	99.74 wt %	997.40 mg/g	
CBDV	0.18 wt %	1.81 mg/g	
CBG		-	
CBC	=	-	
CBN	2	=	
THCA	-	-	
CBDA	9		
CBGA	2	25	
Total	99.92 wt%	999.21 mg/g	
Max THC	*	8.	
Max CBD	99.74 wt%	997.40 mg/g	





Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = $(0.877 \times THCA) + THC$.

W. A. I. C. C.		
VC: Analysis of Volatile Oranic Compounds [WI-10-07]	Analyst: C.JH	Test Date: 4/26/2017
	THE RESERVE OF THE PERSON NAMED IN COLUMN 2 IS NOT THE OWNER.	Tem Date. 7 11/1/11

The client sample was analyzed by Head-Space Gas Chromatography (HS-GC). The collected data was compared to data collected for certified reference standards at known concentrations.

17768-VC

Compound	CAS	Amount 1	Limit ²	Status
Butane	106-97-8	ND	5,000 ppm	Status PASS
Methanol	67-56-1	ND	3,000 ppm	PASS
Acetone	67-64-1	ND	5,000 ppm	PASS
Hexane	110-54-3	ND	290 ppm	PASS
Heptane	142-82-5	ND	5,000 ppm	PASS
1) ND = Name detected 1 = 5			L I T	

¹⁾ ND = None detected above 5 ppm.

END OF REPORT

²⁾ In ppm. based on USP recommended limits for residual solvents, adopted by the Massachusetts Department of Public Health on 3/31/16. Butane/Propane limits are based on limits established for state of Colorado.